

MOLYKOTE[™] M-77 Paste

Version 4.0	Revision Date: 10/16/2017		DS Number: 2416-00010	Date of last issue: 05/08/2017 Date of first issue: 10/27/2014			
SECTION 1. IDENTIFICATION							
Prod	uct name	:	MOLYKOTE™ M-77 Paste				
Prod	uct code	:	01906364				
Manufacturer or supplier's d Company Identification			ails THE DOW CHEMICAL COMPANY 2030 DOW CENTER MIDLAND MI 48674-0000 UNITED STATES				
Tele	phone	:	800-258-2436				
24-H	our Emergency Contact	:	Chemtrec +1 800	0-424-9300			
Loca	I Emergency Number	:	800-424-9300				
	ail address commended use of the c	: hen	SDSQuestion@d				
Reco	ommended use	:	Lubricants and lu	bricant additives			

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with 29 CFR 1910.1200

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

:

Substance / Mixture	:	Mixture
---------------------	---	---------

Chemical nature : Molybdenum disulfide grease

Hazardous ingredients

Chemical name	CAS-No.	Concentration (% w/w)
Molybdenum sulfide	1317-33-5	>= 63 - <= 71
12-Hydroxy lithium stearate	7620-77-1	>= 3 - <= 4

SECTION 4. FIRST AID MEASURES

If inhaled

If inhaled, remove to fresh air. Get medical attention if symptoms occur.



MOLYKOTE™ M-77 Paste

Version 4.0	Revision Date: 10/16/2017		DS Number: /2416-00010	Date of last issue: 05/08/2017 Date of first issue: 10/27/2014	
In case of skin contact		:	Wash with water and soap as a precaution. Get medical attention if symptoms occur.		
In case of eye contact		:	Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.		
lf swa	llowed	:	Get medical atter	NOT induce vomiting. ntion if symptoms occur. roughly with water.	
	important symptoms ffects, both acute and ed	:	None known.		
Prote	ction of first-aiders	:	No special preca	utions are necessary for first aid responders.	
Notes	to physician	:	Treat symptomat	ically and supportively.	

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Metal oxides Sulfur oxides Carbon oxides Silicon oxides Formaldehyde
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	:	Wear self-contained breathing apparatus for firefighting if necessary. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec-	:	Follow safe handling advice and personal protective
tive equipment and emer-		equipment recommendations.
gency procedures		



MOLYKOTE[™] M-77 Paste

Version 4.0	Revision Date: 10/16/2017		DS Number: 2416-00010	Date of last issue: 05/08/2017 Date of first issue: 10/27/2014
Envi	ronmental precautions	:	Prevent further le Retain and dispos	e environment must be avoided. akage or spillage if safe to do so. se of contaminated wash water. should be advised if significant spillages ned.
Methods and materials for : containment and cleaning up		:	For large spills, pr containment to ke can be pumped, s container. Clean up remainin absorbent. Local or national disposal of this m employed in the c determine which in Sections 13 and 1	t absorbent material. rovide diking or other appropriate eep material from spreading. If diked material store recovered material in appropriate ng materials from spill with suitable regulations may apply to releases and aterial, as well as those materials and items cleanup of releases. You will need to regulations are applicable. IS of this SDS provide information regarding tional requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	Use only with adequate ventilation.
Advice on safe handling	:	Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Take care to prevent spills, waste and minimize release to the environment.
Conditions for safe storage	:	Keep in properly labeled containers. Store in accordance with the particular national regulations.
Materials to avoid	:	Do not store with the following product types: Strong oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Ingredients	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Molybdenum sulfide	1317-33-5	TWA (total	15 mg/m ³	OSHA Z-1
		dust)	(Molybdenum)	
		TWA (Inhal-	10 mg/m³	ACGIH
		able fraction)	(Molybdenum)	
		TWA (Res-	3 mg/m ³	ACGIH
		pirable frac-	(Molybdenum)	



MOLYKOTE™ M-77 Paste

Version 4.0	Revision Date: 10/16/2017	-	DS Number: 2416-00010	Date of last issue: 05/08/2017 Date of first issue: 10/27/2014					
12-	Hydroxy lithium stearate		7620-77-1	tion) TWA	10 mg/m³	ACGIH			
Engineering measures :		:	Processing may form hazardous compounds (see section 10). Ensure adequate ventilation, especially in confined areas. Minimize workplace exposure concentrations.						
Per	sonal protective equipm	nent	:						
Res	spiratory protection	:	maintain vapo concentrations unknown, app Follow OSHA use NIOSH/M by air purifying hazardous che supplied respi release, expos	r exposures bells are above recorropriate respirator respirator regula SHA approved in g respirators aga emical is limited rator if there is a sure levels are u where air purifyi	ntilation is recommer ow recommended lim ommended limits or a ory protection should ations (29 CFR 1910 respirators. Protectio ainst exposure to any . Use a positive pres any potential for uncounknown, or any other ng respirators may r	nits. Where are d be worn. 0.134) and on provided v sure air ontrolled er			
Har	nd protection								
I	Remarks	:	Wash hands b	efore breaks ar	nd at the end of work	day.			
Eye	e protection	:	Wear the follo Safety glasses		rotective equipment:				
Ski	n and body protection	:	Skin should be	e washed after o	contact.				
Hyg	jiene measures	:	located close When using d Wash contam These precau	to the working p o not eat, drink inated clothing b tions are for roo perature or aeros	or smoke.	ling. Use at			

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: paste	
Color	: Charcoal	
Odor	: slight	
Odor Threshold	: No data available	
рН	: Not applicable	
Melting point/freezing point	: No data available	



MOLYKOTE[™] M-77 Paste

Versior 4.0	n Revision Date: 10/16/2017		S Number: 2416-00010	Date of last issue: 05/08/2017 Date of first issue: 10/27/2014
	tial boiling point and boiling nge	:	Not applicable	
Fl	Flash point		> 200 °C Method: closed c	up
E١	vaporation rate	:	Not applicable	
Fl	ammability (solid, gas)	:	Not classified as	a flammability hazard
S	elf-ignition	:	: The substance or mixture is not classified as pyrophoric. substance or mixture is not classified as self heating.	
	oper explosion limit / Upper mmability limit	:	No data available	9
	wer explosion limit / Lower mmability limit	:	No data available	9
Va	apor pressure	:	Not applicable	
Re	elative vapor density	:	No data available	9
Re	elative density	:	1.9	
So	blubility(ies) Water solubility	:	No data available	
	artition coefficient: n- tanol/water	:	No data available	9
Au	itoignition temperature	:	No data available	9
De	ecomposition temperature	:	No data available	9
Vi	scosity Viscosity, dynamic	:	Not applicable	
E>	plosive properties	:	Not explosive	
O	kidizing properties	:	The substance of	r mixture is not classified as oxidizing.
M	olecular weight	:	No data available	9
Pa	article size	:	No data available	9

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reac-	:	Use at elevated temperatures may form highly hazardous



MOLYKOTE[™] M-77 Paste

Version 4.0	Revision Date: 10/16/2017	SDS Number: 672416-00010	Date of last issue: 05/08/2017 Date of first issue: 10/27/2014			
tions			th strong oxidizing agents. ecomposition products will be formed at elevated s.			
Cond	itions to avoid	: None known				
Incon	npatible materials	: Oxidizing age	ents			
Haza	rdous decompositio	n products				
Therr	nal decomposition	Benzene Formaldehyd	de			
SECTION	SECTION 11. TOXICOLOGICAL INFORMATION					
Infor	Information on likely routes of exposure					

Skin contact Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Ingredients:

Molybdenum sulfide:

Acute oral toxicity	:	LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 401 Assessment: The substance or mixture has no acute oral tox- icity
Acute inhalation toxicity	:	LC50 (Rat): > 2.82 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity
12-Hydroxy lithium stearate:		
A outo and toxicity		I DEQ (Det) = 2.000 m g/kg

Acute oral toxicity

: LD50 (Rat): > 2,000 mg/kg Assessment: The substance or mixture has no acute oral toxicity

Skin corrosion/irritation

Not classified based on available information.

Ingredients:

Molybdenum sulfide:

Species: Rabbit Method: OECD Test Guideline 404



MOLYKOTE™ M-77 Paste

Version 4.0	Revision Date: 10/16/2017	SDS Number: 672416-00010	Date of last issue: 05/08/2017 Date of first issue: 10/27/2014
Resu	t: No skin irritation		
	/droxy lithium steara	ate:	
Speci Resul	es: Rabbit t: No skin irritation ırks: Based on data fr		
Serio	us eye damage/eye	irritation	
Not cl	assified based on ava	ailable information.	
Ingre	dients:		
Molyl	odenum sulfide:		
Resu	es: Rabbit t: No eye irritation od: OECD Test Guide	line 405	
12-Hy	droxy lithium stear	ate:	
Resu	es: Rabbit t: No eye irritation ırks: Based on data fr	om similar materials	
Resp	iratory or skin sensi	tization	
Skin	sensitization		
Not cl	assified based on ava	ailable information.	
Resp	iratory sensitization		
Not cl	assified based on ava	ailable information.	
Ingre	dients:		
Molyl	odenum sulfide:		
Route Speci	Type: Maximization To es of exposure: Skin c es: Guinea pig t: negative		
12-Hy	droxy lithium stear	ate:	
Route Speci Metho	Type: Local lymph not es of exposure: Skin c es: Mouse od: OECD Test Guide t: negative	contact	
	cell mutagenicity		

Germ cell mutagenicity

Not classified based on available information.

Ingredients:

Molybdenum sulfide:

Genotoxicity in vitro

: Test Type: Bacterial reverse mutation assay (AMES)

MOLYKOTE[™] M-77 Paste



Version 4.0	Revision Date: 10/16/2017	SDS Number: 672416-00010	Date of last issue: 05/08/2017 Date of first issue: 10/27/2014
		Method: OECI Result: negativ	D Test Guideline 471 ve
	inogenicity classified based on avail	able information.	
Ingre	edients:		
Spec Appl Expo	bdenum sulfide: ties: Rat tication Route: Ingestion osure time: 232 days ult: negative		
II IAR(C		his product present at levels greater than or dentified as probable, possible or confirmed in by IARC.
OSH	IA		this product present at levels greater than or on OSHA's list of regulated carcinogens.
NTP			his product present at levels greater than or dentified as a known or anticipated carcinogen
•	roductive toxicity classified based on avail	able information.	
	T-single exposure classified based on avail	able information.	
	T-repeated exposure classified based on avail	able information.	
Ingre	edients:		
12-H	ydroxy lithium stearat	e:	
Asse	es of exposure: Ingestio essment: No significant h r less.		ed in animals at concentrations of 100 mg/kg

Repeated dose toxicity

Ingredients:

12-Hydroxy lithium stearate:

Species: Rat NOAEL: > 88 mg/kg Application Route: Ingestion Exposure time: 90 Days

Aspiration toxicity

Not classified based on available information.



MOLYKOTE[™] M-77 Paste

Version	Revision Date: 10/16/2017	SDS Number:	Date of last issue: 05/08/2017
4.0		672416-00010	Date of first issue: 10/27/2014

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Ingredients:

Molybdenum sulfide:

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 644.2 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 130.9 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: Based on data from similar materials
Toxicity to algae	:	EC50 (Pseudokirchneriella subcapitata (green algae)): 289.2 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
Toxicity to fish (Chronic toxic- ity)	:	NOEC (Oncorhynchus mykiss (rainbow trout)): > 17 mg/l Exposure time: 12 Months Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Ceriodaphnia dubia (water flea)): 156.5 mg/l Exposure time: 21 d Remarks: Based on data from similar materials
Toxicity to microorganisms	:	NOEC: > 950 mg/l Exposure time: 17 d Remarks: Based on data from similar materials
12-Hydroxy lithium stearate:		
Toxicity to fish	:	LL50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EL50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae	:	NOELR (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201

Persistence and degradability

Ingredients:

12-Hydroxy lithium stearate:

MOLYKOTE™ M-77 Paste



Version 4.0	Revision Date: 10/16/2017	SDS Number: 672416-00010	Date of last issue: 05/08/2017 Date of first issue: 10/27/2014	
Biode	gradability	: Result: Readily Biodegradation: Exposure time: Method: OECD	78 %	
Bioa	ccumulative potential			
No da	ata available			
Mobi	lity in soil			
No da	ata available			
Othe	r adverse effects			
No da	ata available			
SECTION	13. DISPOSAL CONS	DERATIONS		
Dian	and mathada			
Dispo	osal methods			

Disposal methods		
Resource Conservation and Recovery Act (RCRA)	:	This product has been evaluated for RCRA characteristics and does not meet the criteria of hazardous waste if discarded in its purchased form.
Waste from residues	:	Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

ingredients OAO NO. Component Ng Calculated product Ng	Ingredients	CAS-No.	Component RQ	Calculated product RQ
--	-------------	---------	--------------	-----------------------



MOLYKOTE™ M-77 Paste


rsion)	Revision Date: 10/16/2017			Date of last issue: Date of first issue:	
				(lbs)	(lbs)
Benze	ene culated RQ exceeds		71-43-2	10	*
SARA This n SARA	A 304 Extremely Hat naterial does not cor A 302 Extremely Hat	zardou ntain an zardou	s Substances Repo y components with a s Substances Thre	ortable Quantity a section 304 EHS shold Planning Q	uantity
This n	naterial does not cor	ntain an	y components with a	a section 302 EHS	TPQ.
SARA	A 311/312 Hazards	:	No SARA Hazards		
SARA	A 313	:	known CAS numbe	ers that exceed the	emical components with threshold (De Minimis) Title III, Section 313.
US St	tate Regulations				
Penns	sylvania Right To K	(now			
	Molybdenum su Dimethyl, pheny 12-Hydroxy lithi Zinc naphthena Zinc neodecano	/Imethy um stea te	l siloxane, trimethyl- arate	terminated	1317-33-5 63148-52-7 7620-77-1 12001-85-3 27253-29-8
zene, Ethox birth d	which is/are known yethanol, 2-Methoxy	to the S ethanol oductive	state of California to I, Toluene, which is/ a harm. For more inf	cause cancer, and are known to the St	e, Cumene, Ethylben- Benzene, 2- ate of California to cau v.P65Warnings.ca.gov.
Callio	Molybdenum su		DStances		1317-33-5
Califa	ornia Permissible E		a Limits for Chomi	cal Contaminants	
Callio	Molybdenum su	•			1317-33-5
The ir	ngredients of this p		are reported in the	e following invent	
NZIoC	• ·	:	All ingredients liste	•	
TSCA	A	:			ct are either listed on th with a TSCA Inventory
ENCS	S/ISHL	:	All components are inventory listing.	e listed on ENCS/IS	SHL or exempted from
IECSO	C	:	All ingredients liste	d or exempt.	
			All ingredients liste	d or exempt	
AICS		•	-	a or oxompti	
AICS DSL		:	1999 and NSNR a	ances in this produc	ct comply with the CEP ot from listing on the DSL).



MOLYKOTE[™] M-77 Paste

Version 4.0	Revision Date: 10/16/2017	SDS Number: 672416-00010	Date of last issue: 05/08/2017 Date of first issue: 10/27/2014
		RĚACH. Ple purchases f intention to	are currently pre/registered or exempt under ease refer to section 1 for recommended uses. For rom non-EU Dow Chemical legal entities with the export into EEA please contact your DC ive/local office.
PICCS	3	: All ingredier	nts listed or exempt.
KECI		: All ingredier	nts listed, exempt or notified.
TCSI		: All ingredier	nts listed or exempt.

SECTION 16. OTHER INFORMATION



HMIS® IV:

HEALTH	1	0
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim-
		its for Air Contaminants
ACGIH / TWA	:	8-hour, time-weighted average
OSHA Z-1 / TWA	:	8-hour time weighted average

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Avia-



MOLYKOTE™ M-77 Paste

Version	Revision Date:	SDS Number:	Date of last issue: 05/08/2017
4.0	10/16/2017	672416-00010	Date of first issue: 10/27/2014

tion Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR -No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ -Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB -Very Persistent and Very Bioaccumulative

Sources of key data used to :	Internal technical data, data from raw material SDSs, OECD
compile the Material Safety	eChem Portal search results and European Chemicals Agen-
Data Sheet	cy, http://echa.europa.eu/

Revision Date : 10/16/2017

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8